

Wireless - Smart Connect Rule

Set up the Smart Connect related information below.

[View List](#)

Steering Trigger Condition			
Band	2.4GHz	5GHz-1	5GHz-2
Enable Load Balance	<input type="radio"/> Yes <input checked="" type="radio"/> No	<input type="radio"/> Yes <input checked="" type="radio"/> No	<input type="radio"/> Yes <input checked="" type="radio"/> No
Bandwidth Utilization	<input type="range"/> 0%	<input type="range"/> 0%	<input type="range"/> 0%
RSSI	<div>Greater ▾</div> <div>-52 dBm</div>	<div>Less ▾</div> <div>-82 dBm</div>	<div>Less ▾</div> <div>-82 dBm</div>
PHY Rate Less	<input type="range"/> Disable	<input type="range"/> Disable	<input type="range"/> Disable
PHY Rate Greater	<input checked="" type="range"/> > 110 Mbps	<input type="range"/> Disable	<input type="range"/> Disable
VHT	<div>All ▾</div>	<div>AC only ▾</div>	<div>not-allowed ▾</div>

STA Selection Policy			
RSSI	<div>Greater ▾</div> <div>-52 dBm</div>	<div>Less ▾</div> <div>-82 dBm</div>	<div>Less ▾</div> <div>-82 dBm</div>
PHY Rate Less	<input type="range"/> Disable	<input type="range"/> Disable	<input type="range"/> Disable
PHY Rate Greater	<input checked="" type="range"/> > 110 Mbps	<input type="range"/> Disable	<input type="range"/> Disable
VHT	<div>All ▾</div>	<div>AC only ▾</div>	<div>not-allowed ▾</div>

Interface Select and Qualify Procedures						
Target Band	1: <div>5GHz-2 ▾</div>	2: <div>5GHz-1 ▾</div>	1: <div>2.4GHz ▾</div>	2: <div>5GHz-2 ▾</div>	1: <div>2.4GHz ▾</div>	2: <div>5GHz-1 ▾</div>
Bandwidth Utilization	<input type="range"/> 0%		<input checked="" type="range"/> 60%		<input type="range"/> 0%	
VHT	<div>All ▾</div>		<div>AC only ▾</div>		<div>All ▾</div>	

Bounce Detect	
Window Time	<div>180</div> seconds
Counts	<div>1</div>
Dwell Time	<div>3600</div> seconds